

LOGISIETE[•]

CATÁLOGO ILUMINACIÓN 2016

LIGHTING CATALOGUE 2016_ÉCLAIRAGE CATALOGUE 2016




Regleta Led aluminio anodizado

Terminal alu anodized led / Bandeau lumineux led alu anodisé

- 120 diodos por metro lineal / 120 LEDs per meter / 120 LEDs par mètre
- 12 wátios por metro lineal / 12 Watts per meter/ 12 Watts par mètre
- 1300 lumens por metro lineal / 1300 lumens per meter / 1300 lumens par mètre
- Perfil de aluminio anodizado / Anodized aluminium profile / Profil alu anodisé
- Encendido / apagado mediante sensor táctil/ Power on-off by sensor touch / Interrupteur tactile
- Regulación de intensidad / With dimming / Intensité lumineuse réglable
- Cable de 1,5 m. / Light cable 1,5 m. / Lumière câble 1,5 m.
- Pantalla disipadora difumina los puntos de luz / - Dissipating lamp spotlights screen / - Écran dissipateur des points lumineux





Ref.	Wátios	
045900100041	4,8	410x25x8
045900100060	7,2	610x25x8
045900100090	10,8	910x25x8
045900100120	14,4	1210x25x8

TRANSFORMADOR LED 12 V. - 15 W. 4 TOMAS

Led Driver 12 v. - 15 w. 4 pins / Transformateur Led 12 v. - 15 w. 4 pins

- Cable de red de 2 m. / Cable 2 m. / Câble 2 m.
- Un transformador (15 w.) sería suficiente para 3 regletas de 40 (4,8 w. x 3) / A Led driver (15 w.) would be enough for 3 strips of 40 (4,8 w. x 3) / Un transformateur (15 w.) est suffisant pour 3 bandeaux de 40 (4,8 w. x 3)



Ref.	Wátios		
045900101049	15	189 gr.	130x42x17

TRANSFORMADOR LED 12 V. - 30 W. 4 TOMAS

Led Driver 12 v. - 30 w. 4 pins / Transformateur Led 12 v. - 30 w. 4 pins

- Cable de red de 2 m. / Cable 2 m. / Câble 2 m.
- Un transformador (30 w.) sería suficiente para 2 regletas de 120 (14,4 w. x 2) / A Led driver (30w.) would be enough for 2 strips of 120 (14,4 w. x 2) / Un transformateur (30 w.) est suffisant pour 2 bandeaux de 120 (14,4 w. x 2)



Ref.	Wátios		
045900101051	30	260 gr.	180x45x20

LOGISIETE^o

www.logisiete.com

Pol. Ind. AU - 17 - 1.1
C/ Río Ebro, 2 - Ctra. de Mendavia
31230 VIANA · Navarra · España
Tel. +34 948 646 325
Fax +34 948 646 326
central@logisiete.es